spaderma

# POST CARE INSTRUCTIONS

## **GENEO FACIAL:**

#### Contraindications

#### Patients having the following conditions should not be treated:

- · Under 18 years of age.
- · Current or history or skin cancer or pre-malignant moles.
- · Pregnant or nursing.
- Any active skin conditions within the applied area, such as sores, eczema, rash, fragile, swollen, burnt or injured skin, active acne, rosacea, dermatitis, psoriasis or active Herpes.
- Rash as well as excessively/freshly tanned skin.
- Vascular disorders such as: telangiectasia, varicose veins, thrombosis, phlebitis in the applied area.
- Severe concurrent disease such as: un-controlled diabetes, nervous diseases, epilepsy, lupus, cardiac disorder and cancer.
- Known allergies to cosmetics or other products, or experienced severe allergic reactions like hives.
- Impaired immune system due to immunosuppressive diseases such as AIDS and HIV or use of immunosuppressive medications.
- History or skin disorders such as keloid scarring, abnormal wound healing, as well as very dry and fragile skin.

#### **Pre Care Instructions**

#### Special caution should be taken in the following cases:

- Patients taking medications, herbal preparations, food supplements or vitamins that might cause fragile skin or impaired skin healing such as prolonged steroid regime, Isotretinoin (Accutane), tetracyclines, or St. John's Wort.
- Aesthetic procedures in the treatment area, such as: fillers, gold/plastic threads, fat implants.
- Patients undergoing frequent skin resurfacing or chemical peels or other aesthetic procedures that may cause sensitive, fragile or thin skin.
- Patients having predisposition to excessive allergic reactions such as hives, shortness of breath, etc.
- Tripollar RF Patients having allergic reaction to glycerin.
- Ultrasound Patients having areas of reduced sensations over anesthetized or over bony areas.

#### **Post Care Instructions:**

• Avoid direct sun exposure 7 days post treatment and always apply broad spectrum UVA/UVB sunscreen of at least SPF 30 to help avoid pigmentation changes and burns.

### Complications:

Although these effects are rare and expected to be temporary, any adverse reactions should be reported immeadiately. Side effects may appear either at the time of treatment or shortly after. If any of the following conditions appear and is significant or excessive for more than 24 hours, please contact your aesthetician. Side effects may include any of the conditions listed below:

- Pain and sensitivity
- Excessive skin redness (Erythema)
- Damage to natural skin texture (crust, blister, burn)
- Excessive swelling (Edema)
- Fragile Skin
- Visable capillaries
- Bruising and scratching
- Itching and irritation